

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------------------------------------------------------------------------------------|---------------------------------------------------------|------------------|---------|------------------|
| L1 | 559 | (back\$4 or duplicat\$4 or secondary or copy\$4 or mirror\$4) near6 (control near3 plane) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:34 |
| L2 | 166 | 1 and network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:34 |
| L3 | 868 | (back\$4 or duplicat\$4 or secondary or copy\$4 or mirror\$4) with (control near3 plane) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:45 |
| L4 | 43 | 3 and (optical near3 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:39 |
| L5 | 331 | (Link near3 State near3 ((Data near3 Base) or database or data\$base)) or LSDB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:45 |
| L6 | 72 | 5 same (back\$4 or duplicat\$4 or secondary or copy\$4 or mirror\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 15:21 |
| L7 | 45 | 5 and (control near3 plane) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:59 |
| L8 | 9 | 6 and 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 14:46 |
| L9 | 47 | 6 and (failure or failover) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/20 15:22 |

| | | | | | | |
|-----|-----|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S1 | 382 | mirror same (control near3 plane) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 15:55 |
| S2 | 16 | S1 and node | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 15:52 |
| S3 | 690 | ATM and (control near3 plane) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 15:55 |
| S4 | 68 | S3 and (label near3 (data or information)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:01 |
| S5 | 68 | S4 and network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:02 |
| S6 | 1 | S4 and ((control near3 plane) near3 (copy or store or mirror or duplicate)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:14 |
| S7 | 6 | (copy or mirror or duplicate) near4 (control near3 plane) near4 (data or information or packet or frame) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:12 |
| S8 | 16 | (store) near4 (control near3 plane) near4 (data or information or packet or frame) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:49 |
| S9 | 2 | S4 and ((label near4 (database or data or information of table or list)) near3 (copy or store or mirror or duplicate)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:16 |
| S10 | 0 | (label near3 (database or information or table)) with downstream with LSR with upstream | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:15 |

| | | | | | | |
|-----|------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S11 | 0 | (Connectivity near3 resource near3 (data or information)) with (mirror\$4 or cop\$4 or stor\$4) with (another or backup or second) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:56 |
| S12 | 43 | (Connectivity near3 (data or information)) with (mirror\$4 or cop\$4 or stor\$4) with (another or backup or second) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:57 |
| S13 | 3019 | (label near2 switching near2 router) or LSR\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 16:59 |
| S14 | 421 | S13 and ((multi near3 protocol near3 label near3 switching) or MPLS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 17:02 |
| S15 | 164 | S14 and ((label near3 distribution near3 Protocol) or LDP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:25 |
| S16 | 7 | S15 and ((label near3 information near3 database) or LID) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 18:17 |
| S17 | 102 | S15 and (fail\$7 or backup) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/30 18:25 |
| S18 | 3019 | (label near2 switching near2 router) or LSR\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:38 |
| S19 | 421 | S18 and ((multi near3 protocol near3 label near3 switching) or MPLS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:25 |
| S20 | 164 | S19 and ((label near3 distribution near3 Protocol) or LDP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:26 |

| | | | | | | |
|-----|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S21 | 7 | S20 and ((label near3 information near3 database) or LID) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:25 |
| S22 | 7 | S20 and ((label or (control near3 plane)) near4 (copy or duplicate or mirror)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:36 |
| S23 | 453 | (node or port or interface) with (exchang\$4 or receiv\$4) with (((control near2 plane) or label) near3 (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:43 |
| S24 | 73 | S23 and S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:45 |
| S25 | 44 | S24 and ((node or port or interface) with (memory or stor\$5) with (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:45 |
| S26 | 548 | (node or port or interface or server) with (exchang\$4 or receiv\$4) with (((control near2 plane) or label) near3 (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:44 |
| S27 | 619 | (node or port or interface or server or router) with (exchang\$4 or receiv\$4) with (((control near2 plane) or label) near3 (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:44 |
| S28 | 106 | S27 and S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:45 |
| S29 | 68 | S28 and ((node or port or interface or server or router) with (memory or stor\$5) with (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 09:46 |

| | | | | | | |
|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S30 | 3019 | (label near2 switching near2 router) or LSR\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 15:54 |
| S31 | 619 | (node or port or interface or server or router) with (exchang\$4 or receiv\$4) with (((control near2 plane) or label) near3 (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 14:36 |
| S32 | 106 | S31 and S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 14:36 |
| S33 | 68 | S32 and ((node or port or interface or server or router) with (memory or stor\$5) with (data or information or frame or packet or table or database)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 14:37 |
| S34 | 21 | S33 and synchron\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 14:52 |
| S35 | 15 | S30 and ((synchroniz\$5) with (node or router or switch) with (memory or database or table or list or storage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 15:56 |
| S36 | 1317 | (copy\$4 or mirror\$4) near4 connect\$6 near4 (information or data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/24 17:18 |
| S37 | 736 | S36 and network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/24 17:14 |
| S38 | 19 | (copy\$4 or mirror\$4) near4 (network near3 topology) near4 (information or data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/24 17:24 |
| S39 | 4 | (duplicate or backup or secondary) near4 (network near3 topology) near4 (information or data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/25 10:04 |

| | | | | | | |
|-----|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|------------------|
| S40 | 0 | ((local near3 copy) near4 (network near3 topology) near4 (information or data)) and ((remote near3 copy) near4 (network near3 topology) near4 (information or data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/24 17:29 |
| S41 | 2 | ((local) near4 (network near3 topology) near4 (information or data)) and ((remote) near4 (network near3 topology) near4 (information or data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/24 17:29 |